

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

(19) 日本国特許庁 (JP)

(12) 公開特許公報 (A)

(11) 特許出願公開番号

特開2001-286348

(P2001-286348A)

(43) 公開日 平成13年10月16日 (2001.10.16)

(51) Int.Cl. ⁷	識別記号	F I	テーマコード* (参考)
A 4 7 B	31/06	A 4 7 B	31/06
	3/00		3 B 0 5 3
	3/083		A 3 D 0 2 0
	31/04		A
			A
			C

審査請求 未請求 請求項の数 1 書面 (全 3 頁) 最終頁に続く

(21) 出願番号 特願2000-145741 (P2000-145741)

(22) 出願日 平成12年4月10日 (2000.4.10)

(71) 出願人 500225505

原地 哲夫

神奈川県横浜市中区箕沢29

(72) 発明者 原地 哲夫

神奈川県横浜市中区箕沢29

Fターム(参考) 3B053 HA02 HB01

3D020 BA00 BB01 BC10 BD03 BD13


BD14

(54) 【発明の名称】 自動車ハンドルに取り付け可能な小テーブル

(57) 【要約】 (修正有)

【課題】 自動車の駐車中、運転席にて筆記、食事、パソコンの使用などができ、かつ容易に角度を変える事ができるハンドルに取り付け可能な小テーブルを提供する。

【解決手段】 主テーブル1に螺番を介して折りたたみ自在な補助テーブル3を設け、主テーブル1の裏面に折りたたみ自在な2枚の足4を螺番5を介して垂下させて設け、主テーブル1の両側面のやや前方にホイールリングの左右両側に嵌める切り欠き部を設け、主テーブル1の前辺にハンドルの中心部からホイールリングの下方部に伸びる支柱7が干渉しないように湾曲部を設け、主テーブル1の裏面に設けた2枚の足4にホイールリングに嵌めるための切り欠き部9を設け、切り欠き部9の天地に幅を設けたことを特徴とする。



【発明の効果】本発明を使用することにより自動車の駐車中、角度自在に書き物、読書、食事、パソコンの使用などが運転席にて行うことができる。また補助テーブルを蓋の開閉自由なケースにすることにより化粧品、救急用品、手帳、CD、テープなどを入れることもでき自動車内がより快適になる。また本発明は折りたたみ可能なため、車のドアの収納ケースやサンバイザーの裏にも収納することができる。

【図面の簡単な説明】

【図1】本発明の使用状態を示す斜視図

【図2】本発明の斜視図


【図3】本発明の斜視図

【図4】本発明の使用状態を示す斜視図


【符号の説明】

- 1 主テーブル
- 2 蝶番
- 3 補助テーブル
- 4 足
- 5 蝶番
- 6 切り欠き部
- 7 支柱
- 8 湾曲部
- 10 9 切り欠き部
- 10 切り欠き部(9)の上部
- 11 切り欠き部(10)の下部


【図1】




【図2】



【図3】



【図4】



フロントページの続き

(51)Int. Cl.⁷

B60R 11/02

識別記号

F I

B60R 11/02

テマコード(参考)

Z

DERWENT-ACC-NO: 2002-007126

DERWENT-WEEK: 200201

COPYRIGHT 1999 DERWENT INFORMATION LTD

TITLE: Small table for attachment to
steering wheel of motor vehicle, has notch portion for
wheel ring insertion formed at leg at back side of with
width section formed to top and bottom of notch portion

PATENT-ASSIGNEE: HARAJI T[HARAI]

PRIORITY-DATA: 2000JP-0145741 (April 10, 2000)

PATENT-FAMILY:

PUB-NO	PAGES	PUB-DATE	MAIN-IPC
JP 2001286348 A		October 16, 2001	N/A
003	A47B	031/06	

APPLICATION-DATA:

PUB-NO	APPL-DATE	APPL-DESCRIPTOR	APPL-NO
JP2001286348A		N/A	
2000JP-0145741		April 10, 2000	

INT-CL (IPC): A47B003/00, A47B003/083 , A47B031/04 ,
A47B031/06 ,
B60R011/02

ABSTRACTED-PUB-NO: JP2001286348A

BASIC-ABSTRACT:

NOVELTY - A notch portion (9) for wheel ring insertion is
formed at the leg (4)
at the back side of the two-sheet small table (1). A
width section is formed
to the top and bottom of the notch portion. The small
table, which can be
folded, is hinged when notched to the steering wheel of a

motor vehicle.

USE - For attachment to steering wheel of motor vehicle.

ADVANTAGE - Can be attached to the steering wheel of a motor vehicle for document reading, taking a meal, using a personal computer, by the driver's seat while the motor vehicle is parked. Ensures comfort in usage and can accommodate e.g. free case, cosmetics, notebook, CD, tapes. Can be stored in door storage case or at the reverse side of the sun visor since small table can be folded.

DESCRIPTION OF DRAWING(S) - The figure is a perspective diagram showing the small table in service condition.

Small table 1

Leg 4

Notch portion 9

CHOSEN-DRAWING: Dwg.1/4

TITLE-TERMS: TABLE ATTACH STEER WHEEL MOTOR VEHICLE NOTCH
PORTION WHEEL RING
INSERT FORMING LEG BACK SIDE WIDTH SECTION
FORMING TOP BOTTOM NOTCH
PORTION

DERWENT-CLASS: P25 Q17

SECONDARY-ACC-NO:

Non-CPI Secondary Accession Numbers: N2002-006216